ELSEVIER

Analytica Chimica Acta 340 (1997) 297–299

ANALYTICA CHIMICA ACTA

Author Index

Aggarwal, I.D., see Ewing, K.J. 227
Ala-Kleme, T., see Kulmala, S. 245
Alciaturi, C.E.
—, Montero, T., Cruz, C.D.L. and Escobar, M.E.
The prediction of coal properties using compressed infrared data from osculating polynomials 233
Alguacil, F., see Coedo, A.G. 31
Alpízar, J.
—, Cladera, A., Cerdà, V., Lastres, E. and García, L.
Simultaneous flow injection analysis of cadmium and leadwith differential pulse voltammetric detection 149
Andre, F., see Bizec, B.L. 201
Arkoub, I.A.
—, Randriamahazaka, H. and Nigretto, J.-M.
Effect of surface activation on charge and mass transfer rates of the hexacyanoferrate(III)/(II) redox probe at fibrinogen-modified carbon paste electrodes 99

Baldo, M.A.
—, Daniele, S. and Mazzocchin, G.A.
Anodic characterization of mercury microelectrodes for determinations of anions in real samples 77
Barbaise, T., see Walcarius, A. 61
Barnard, S.M., see Ferguson, J.A. 123
Becker, G.
—, Colmsjö, A. and Östman, C.
Elemental composition determination of organophosphorus compounds using gas chromatography and atomic emission spectrometric detection 181
Begerow, J.
—, Turfeld, M. and Dunemann, L.
Determination of physiological noble metals in human urine using liquid–liquid extraction and Zeeman electrothermal atomic absorption spectrometry 277
Bessiere, J., see Walcarius, A. 61
Bilodeau, T., see Ewing, K.J. 227
Bizec, B.L.
—, Monteau, F., Maume, D., Montrade, M.-P., Gade, C. and Andre, F.
Detection and identification of thyreostats in the thyroid gland by gas chromatography–mass spectrometry 201
Bohanec, S.
— and Moder, M.
A computer program for searching the best model for describing different experimental systems 267
Bond, A.M., see Cardwell, T.J. 169
Bornscheuer, U.T., see Yano, K. 41
Bosch, E., see Muinasmaa, U. 133
Bronk, K.S., see Ferguson, J.A. 123
Bucholtz, F., see Ewing, K.J. 227

Cámara, C., see Palacios, M.A. 209
Cardwell, T.J.
—, Santos, J.H. and Bond, A.M.
Flow injection analysis of copper diethyldithiocarbamate in high resistance toluene media using a microelectrode detector 169
Cerdà, V., see Alpízar, J. 149
Chang, H.-C.
—, Yang, C.-C. and Yeh, T.-M.
Detection of lipopolysaccharide binding peptides by the use of a lipopolysaccharide-coated piezoelectric crystal biosensor 49
Cladera, A., see Alpízar, J. 149
Coedo, A.G.
—, Dorado, M.T., Padilla, I. and Alguacil, F.
Preconcentration and matrix separation of precious metals in geological and related materials using metalfix-chelamine resin-prior to inductively coupled plasma mass spectrometry 31
Colmsjö, A., see Becker, G. 181
Compagnone, D.
— and Guilbault, G.G.
Glucose oxidase/hexokinase electrode for the determination of ATP 109
Cruz, C.D.L., see Alciaturi, C.E. 233

Dagenais, D.M., see Ewing, K.J. 227
Daniele, S., see Baldo, M.A. 77
Dennis, M.J., see Rossmann, A. 21
Dorado, M.T., see Coedo, A.G. 31
Dunemann, L., see Begerow, J. 277

Escobar, M.E., see Alciaturi, C.E. 233
Ewing, K.J.
—, Nau, G., Bilodeau, T., Dagenais, D.M., Bucholtz, F. and Aggarwal, I.D.
Monitoring the absorption of organic vapors to a solid phase extraction medium Applications to detection of trace volatile organic compounds by integration of solid phase absorbents with fiber optic Raman spectroscopy 227

Ferguson, J.A.
—, Healey, B.G., Bronk, K.S., Barnard, S.M. and Walt, D.R.
Simultaneous monitoring of pH, CO_2 and O_2 using an optical imaging fiber 123
Flores, J.R., see Nevado, J.J.B. 257
Fokkens, R.H., see Miermans, C.J.H. 5
Frame, T., see Lu, B. 175

Gade, C., see Bizec, B.L. 201
Galceran, M.T., see Jáuregui, O. 191
García, L., see Alpízar, J. 149
Gómez, M., see Palacios, M.A. 209
Guilbault, G.G., see Compagnone, D. 109
Guo, X.-Q., see Li, W.-Y. 291

Haapakka, K., see Kulmala, S. 245
Hakanen, A., see Kulmala, S. 245
Healey, B.G., see Ferguson, J.A. 123

Ikebukuro, K., see Yano, K. 41

Jáuregui, O.
— and Galceran, M.T.
Determination of phenols in water by on-line solid-phase disk extraction and liquid chromatography with electrochemical detection 191

Kang, Q., see Shen, D. 55
Karube, I., see Yano, K. 41
Koziet, J., see Rossmann, A. 21
Kulmala, A., see Kulmala, S. 245
Kulmala, S.
—, Kulmala, A., Ala-Kleme, T., Hakanen, A. and Haapakka, K.
Intrinsic and 1-aminonaphthalene-4-sulfonate-specific extrinsic lyoluminescences of X-ray irradiated sodium chloride 245

Lastres, E., see Alpízar, J. 149
Leca, B.
— and Marty, J.-L.
Reusable ethanol sensor based on a NAD^+-dependent dehydrogenase without coenzyme addition 143
Li, W.-Y.
—, Guo, X.-Q., Xu, J.-G., Zhu, Q.-Z. and Zhao, Y.-B.
Determination of DNA using sodium 9,10-anthraquinone-2-sulfonate as an in situ photochemical fluorescence probe 291
Li, Y.-Z.
— and Townshend, A.
Comparative study of some synthesised and commercial fluorogenic substrates for horseradish peroxidase and its mimetic enzyme hemin by a flow injection method 159
Liu, Z., see Shen, D. 55
López, M.A., see Palacios, M.A. 209
López-de-Alba, P.L., see López-Martínez, L. 241
López-Martínez, L.
—, Luna Vázquez, F.J. and López-de-Alba, P.L.
Simple spectrophotometric determination of tinidazolein formulation and serum 241

Lu, B.
—, Smyth, M.R., O'Kennedy, R., Moulds, J. and Frame, T.
Development of an amperometric immunosensor based on flow injection analysis for the detection of red blood cells 175
Luna Vázquez, F.J., see López-Martínez, L. 241

Manuel de Villena, F.J., see Pita, M.T.P. 89
Martin, G.J., see Rossmann, A. 21
Marty, J.-L., see Leca, B. 143
Masuda, Y., see Yano, K. 41
Maume, D., see Bizec, B.L. 201
Mazzocchin, G.A., see Baldo, M.A. 77
Miermans, C.J.H.
—, Fokkens, R.H. and Nibbering, N.M.M.
A study of the applicability of various ionization methods and tandem mass spectrometry in the analyses of triphenyltin compounds 5
Mo, J., see Zou, X. 115
Moder, M., see Bohanec, S. 267
Monteau, F., see Bizec, B.L. 201
Montero, T., see Alciaturi, C.E. 233
Montrade, M.-P., see Bizec, B.L. 201
Moulds, J., see Lu, B. 175
Muinasmaa, U.
—, Ràfols, C., Bosch, E. and Rosés, M.
Ionic equilibria in aqueous organic solvent mixtures
The dissociation constants of acids and salts intetrahydrofuran/water mixtures 133

Nau, G. see Ewing, K.J. 227
Nevado, J.J.B.
—, Flores, J.R. and Peñalvo, G.C.
Simultaneous spectrophotometric determination of ethinylestradiol and levonorgestrel by partial least squares and principal component regression multivariate calibration 257
Nibbering, N.M.M., see Miermans, C.J.H. 5
Nigretto, J.-M., see Arkoub, I.A. 99
Nomura, M., see Oi, T. 221

Odagiri, T., see Oi, T. 221
Oi, T.
—, Odagiri, T. and Nomura, M.
Extraction of lithium from GSJ rock reference samples and determination of their lithium isotopic compositions 221
O'Kennedy, R., see Lu, B. 175
Östman, C., see Becker, G. 181

Padilla, I., see Coedo, A.G. 31
Palacios, M.A.
—, Gómez, M., Cámara, C. and López, M.A.
Stability studies of arsenate, monomethylarsonate, dimethylarsinate, arsenobetaine and arsenocholine in deionized water, urine and clean-up dry residue from urine samples and determination by liquid chromatography with microwave-assisted oxidation–hydride generation atomic absorption spectrometric detection 209
Peñalvo, G.C., see Nevado, J.J.B. 257

Pingarrón, J.M., see Pita, M.T.P. 89
Pita, M.T.P.
—, Reviejo, A.J., Manuel de Villena, F.J. and Pingarrón, J.M.
Amperometric selective biosensing of dimethyl- anddiethyl-dithiocarbamates based on inhibition processes in a medium of reversed micelles 89

Ràfols, C., see Muinasmaa, U. 133
Randriamahazaka, H., see Arkoub, I.A. 99
Reviejo, A.J., see Pita, M.T.P. 89
Rigin, V.I.
—, Skvortsov, N.K. and Rigin, V.V.
Xenon tetrafluoride as a decomposition agent for silicone rubber for isolation and atomic emission spectrometric determination of trace metals 1
Rigin, V.V., see Rigin, V.I. 1
Rosés, M., see Muinasmaa, U. 133
Rossmann, A.
—, Koziet, J., Martin, G.J. and Dennis, M.J.
Determination of the carbon-13 content of sugars and pulp from fruit juices by isotope-ratio mass spectrometry (internal reference method) A European interlaboratory comparison 21

Santos, J.H., see Cardwell, T.J. 169
Saxena, R.
— and Singh, A.K.
Pyrocatechol Violet immobilized Amberlite XAD-2: synthesis and metal-ion uptake properties suitable for analytical applications 285
Schmid, R.D., see Yano, K. 41
Shen, D.
—, Kang, Q., Liu, Z. and Wang, L.
Oscillation condition for a series piezoelectric sensor. Application to the determination of urease activity in plant seeds 55
Singh, A.K., see Saxena, R. 285
Skvortsov, N.K., see Rigin, V.I. 1
Smyth, M.R., see Lu, B. 175

Townshend, A., see Li, Y.-Z. 159
Turfeld, M., see Begerow, J. 277

Walcarius, A.
—, Barbaise, T. and Bessiere, J.
Factors affecting the analytical applications of zeolite-modified electrodes Preconcentration of electroactive species 61
Walt, D.R., see Ferguson, J.A. 123
Wang, L., see Shen, D. 55

Xu, J.-G., see Li, W.-Y. 291

Yang, C.-C., see Chang, H.-C. 49
Yano, K.
—, Yoshitake, H., Bornscheuer, U.T., Schmid, R.D., Ikebukuro, K., Yokoyama, K., Masuda, Y. and Karube, I.
Development of a chemical vapor sensor using piezoelectric quartz crystals with coated unusual lipids 41
Yeh, T.M., see Chang, H.-C. 49
Yokoyama, K., see Yano, K. 41
Yoshitake, H., see Yano, K. 41

Zhao, Y.-B., see Li, W.-Y. 291
Zhu, Q.-Z., see Li, W.-Y. 291
Zou, X.
— and Mo, J.
Spline wavelet analysis for voltammetric signals 115